## IN THE CLAIMS:

Please amend the claims as indicated. A complete set of the claims is included below, reflecting added subject matter (*underlining*) and deleted subject matter (*strikethrough*), as well as the current status of each claim. This listing of claims will replace all prior versions, and listings, of claims in the application:

## 1-17. (Canceled)

- 18. (Currently Amended) A method of recognizing handwriting-based data entry comprising:
- a) accessing spatial stroke data and pressure data captured by a digitizer of a computer system and representing said user-drawn stroke wherein respective pressure data is associated with respective spatial data;
- storing said spatial stroke data and pressure data into a computer memory wherein pressure data of a first range represents an object of a first display attribute and pressure data of a second range represents an object of a second display attribute;
- determining [[an]] <u>a user-selectable</u> object display attribute based on said pressure data;
- d) drawing a representation of said user-drawn stroke on a display screen of said computer system simultaneously with said spatial stroke data being accessed by said digitizer wherein said representation of said user-drawn stroke is drawn with said object display attribute as determined at said c); and
  - repeating said a) through said d) until said stroke is complete;
     wherein the object display attribute
- (Original) A method as described in Claim 18 wherein said first display attribute is a
  first width and wherein said second display attribute is a second width.
- 20. (Original) A method as described in Claim 18 wherein said stroke is a line.

Application No.: 10/672,382

Response dated: November 30, 2007

 (Original) A method as described in Claim 18 wherein said computer system is a palm sized computer system.

- (Original) A method as described in Claim 18 wherein said computer system is a
  portable computer system.
- 23. (Original) A method as described in Claim 18 wherein said digitizer is separate in area from said display screen.
- (Canceled)
- (Canceled)
- 26. (Canceled)
- (Canceled)
- 28. (Canceled)
- (Currently Amended) A secure handwriting-based data entry recognition system comprising:

means for accessing spatial stroke data and pressure data captured by a digitizer of a computer system and representing said user-drawn stroke wherein respective pressure data is associated with respective spatial data;

means for storing said spatial stroke data and pressure data into a computer memory wherein pressure data of a first range represents an object of a first display attribute and pressure data of a second range represents an object of a second display attribute;

means for determining [[an]] a <u>user-selectable</u> object display attribute based on said pressure data; and

means for drawing a representation of said user-drawn stroke on a display screen of said computer system simultaneously with said spatial stroke data being accessed by said digitizer wherein said representation of said user-drawn stroke is drawn with said object display attribute as determined at said means for determining an object display attribute.

- 30. (Previously Presented) The secure handwriting-based data entry recognition system as described in Claim 29 wherein said first display attribute is a first width and wherein said second display attribute is a second width.
- (Previously Presented) The secure handwriting-based data entry recognition system as described in Claim 29 wherein said stroke is a line.
- (Previously Presented) The secure handwriting-based data entry recognition
   system as described in Claim 29 wherein said computer system is a palm sized computer system.
- (Previously Presented) The secure handwriting-based data entry recognition
   system as described in Claim 29 wherein said computer system is a portable computer system.
- 34. (Previously Presented) The secure handwriting-based data entry recognition system as described in Claim 29 wherein said digitizer is separate in area from said display screen.
- 35. (Currently Amended) A method of recognizing shape entry, said method comprising the steps of:

accessing spatial stroke data and pressure data captured by a digitizer wherein respective pressure data is associated with respective spatial stroke data;

storing said spatial stroke data and pressure data into a computer memory;

building a set of vectors from the spatial stroke data and associated pressure data;

performing shape recognition by applying a mathematical model to the set of vectors on said spatial stroke data and said pressure data to identify a recognized shape with a shape set; and

displaying said recognized shape on a display screen of a computer system.

- (Canceled)
- 37. (Previously Presented) The method of claim 35 wherein said shape set includes a circle.
- 38. (Canceled)

system;

39. (Previously Presented) A method of recognizing entry of an object in a graphics application resident on a portable computer, said method comprising the steps of: accessing spatial stroke data and pressure data captured by a digitizer of a computer

storing said spatial stroke data and pressure data into a computer memory;

<u>building a set of vectors from the spatial stroke data and associated pressure data;</u>

determining an object display attribute according to said pressure data;

drawing a representation of said object on a display screen of said portable computer.

- 40. (Previously Presented) The method of claim 39 wherein said object is a line.
- 41. (Previously Presented) The method of claim 40 wherein pressure data of a first range represents an object of a first display attribute and pressure data of a second range represents an object of a second display attribute.
- (Canceled)
- (Canceled)
- 44. (Canceled)

- 45. (Canceled)
- 46. (Canceled)
- 47. (Canceled)
- 48. (New) The method of claim 35, wherein the mathematical model includes a neural network.
- (New) The method of claim 48, wherein the neural network is a radial basis function network.